

Materiales y acabados
Materials and finishes

Índice Index

Telas Fabrics	
Grupo A Group A	04
Grupo B Group B	06
Grupo C Group C	10
Grupo D Group D	14
Grupo E Group E	16
Pinturas Powder coats	18
Maderas Woods	19
Porcelánicos Porcelain	20
Otros Others	20
Guía de cuidado y mantenimiento Maintenance & Care guide	22

ATENCIÓN:

Los colores del muestrario pueden registrar una pequeña variación con respecto a la realidad.

RAL: Referencias aproximadas


WARNING:

These samples are for guide reference only.

RAL: Approximative references.

GO UNI

Gabriel®



60093


60084

61144

61145

64171

65086



66135

66138

68168

66139

67071

68149

Disponible toda la colección GO UNI GABRIEL. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com

All GO UNI GABRIEL collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition

100% Trevira cs

Weight

435 g/lm

Abrasion

Rubs martindale (EN ISO 12947-2) 100,000

Resistance

Double rubs wyzenbeek (ASTM D4157-07) (heavy duty upholstery) 60,000

Flammability

BS 7176 Medium hazard

BS 5852 Crib 5

BS 5852 Part 1 0,1 Cigarette & match


BS EN 1021-1 Cigarette BS EN 1021-2 Match

Maintenance

Wash or dry cleaning

CURA

Gabriel®



66166


60110

61168

62084

62082

64197



64196

68187

67084

68186

68181

68182

Disponible toda la colección CURA GABRIEL. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com

All CURA GABRIEL collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition

98% post-consumer recycled polyester / 2% polyester

Weight

420 g/lm

Abrasion

Rubs martindale (EN ISO 12947-2) 100,000

Resistance

Double rubs wyzenbeek (ASTM D4157-07) (heavy duty upholstery) 100,000

Flammability

BS EN 1021 1&2 Cigarette and Match

BS 5852 Part 1 0,1 Cigarette & match


CA TB 117-2013

Maintenance

Wash or dry cleaning


LIBRA

crevin



Disponible toda la colección LIBRA CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All LIBRA CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition	50%PP 32%PES 18%CO
Weight	616 gr/lm
Abrasion Resistance	EN ISO 12947-2:1998 66.000
Flammability	B BS5852 Source 0 EN 1021 Part 1 NFPA 260 CAL TB-117
Maintenance	Wash or dry cleaning

VELVETY

crevin



Disponible toda la colección VELVETY CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All VELVETY CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition	91%PES 9%CO
Weight	780 gr/ml
Abrasion	EN ISO 12947-2:1998
Resistance	End point 200,000
Assesment of	(Cigarette / Match)
ignitability	BS5852 Source 0
	EN 1021 Part 1
	NFPA 260
	CAL TB-117
Maintenance	Wipe clean with a damp cloth

NOAH

crevin



Disponible toda la colección NOAH CREVIN.
Para más información consultar con info@omelette-ed.com

All NOAH CREVIN collection is available.
For more information contact info@omelette-ed.com



Composition	100%PES REC
Weight	760 gr/ml
Abrasion	EN ISO 12947-2:1998
Resistance	End point >100.000
Assesment of	(Cigarette) PASS
ignitability	BS5852 Source 0
	EN 1021 Part 1
	NFPA 260
	CAL TB-117
Maintenance	Wipe clean with a damp cloth

SACCO

crevin



05



07

11

26

32

49



50

51

54

59

71

Disponible toda la colección SACCO CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com

All SACCO CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition	80%PP 15%PES 5%CO
Weight	800 gr/ml
Abrasion Resistance	EN ISO 12947-4:1998 End point 80.000
Assesment of ignitability	(Cigarette and Match) PASS BS5852 Source 0 EN 1021 Part 1 NFPA 260 CAL TB-117
Maintenance	Wipe clean with a damp cloth

ITO

crevin



05


11

12

18

38

45



51

52

53

71

21

Disponible toda la colección ITO CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All ITO CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition	71%PES 20%PP 9%CO
Weight	812 gr/ml
Abrasion Resistance	EN ISO 12947-2:1998 End point >100.000
Assesment of ignitability	(Cigarette / Match) PASS BS5852 Source 0 EN 1021 Part 1 NFPA 260 CAL TB-117
Maintenance	Wipe clean with a damp cloth

DANA

crevin



Disponible toda la colección DANA CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All DANA CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition 45%CO 30%CV 25%PES
Stain repellence protection
Weight 775 gr/ml
Abrasion EN ISO 12947-2:1998
Resistance End point 26.000
Assesment of (Cigarette) PASS
ignitability BS5852 Source 0
EN 1021 Part 1
NFPA 260
CAL TB-117
Maintenance Wipe clean with a damp cloth

GAUDI

crevin



Disponible toda la colección GAUDI CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com

All GAUDI CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition 60%PP 35%PES 5%CO
Weight 680 gr/lm
Abrasion EN ISO 12947-2:1998
Resistance End point 46.000
Assesment of (Cigarette) PASS
ignitability BS5852 Source 0
EN 1021 Part 1
NFPA 260
CAL TB-117
Maintenance Wipe clean with a damp cloth

MATISS

crevin



05	08	12	10	22	54
49	45	30	95	64	07

Disponible toda la colección MATISS CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com

All MATISS CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition	55%PES 20%CV 15%CO 10%LI
Weight	770 gr/ml
Abrasion Resistance	EN ISO 12947-2:1998 End point 35.000
Assesment of ignitability	(Cigarette) PASS BS5852 Source 0 EN 1021 Part 1 NFPA 260 CAL TB-117
Maintenance	Wipe clean with a damp cloth

TENZO

crevin



05	07	08	10	11	03
51	52	53	54	70	49

Disponible toda la colección TENZO CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All TENZO CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition	45%CO 30%CV 25%PES Stain repellence protection
Weight	775 gr/ml
Abrasion Resistance	EN ISO 12947-2:1998 End point 25.000
Assesment of ignitability	(Cigarette / Match) PASS BS5852 Source 0 EN 1021 Part 1 NFPA 260 CAL TB-117
Maintenance	Wipe clean with a damp cloth

STEP

Gabriel



61149


61150

62057

63075

64159

64178



66148

66151

67004

68121

68158

68161

Disponible toda la colección STEP GABRIEL. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All STEP GABRIEL collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition 100% Trevira cs
Weight 470 g/lm
Abrasion Rubs martindale (EN ISO 12947-2) 100,000
Resistance Double rubs wyzenbeek (ASTM D4157-07) (heavy duty upholstery) 100,000
Flammability IMO MSC 307(88) Annex 1 part 8
MED Certificate IMO / DIN 4102 B1
NFP 92-503/504/505 M1
BS EN 1021 1&2 Cigarette and Match
BS EN 1021-1 Cigarette
BS 5852 Part 1 0,1 Cigarette & match
Maintenance Wash or dry cleaning

STEP MELANGE

Gabriel



61149


61150

62057

63075

64159

64178



66148

66151

67004

68121

68158

68161

Disponible toda la colección STEP MELANGE GABRIEL [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All STEP MELANGE GABRIEL collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition 100% Trevira cs
Weight 470 g/lm
Abrasion Rubs martindale (EN ISO 12947-2) 100,000
Resistance Double rubs wyzenbeek (ASTM D4157-07) (heavy duty upholstery) 100,000
Flammability IMO MSC 307(88) Annex 1 part 8
MED Certificate IMO / DIN 4102 B1
NFP 92-503/504/505 M1
BS EN 1021 1&2 Cigarette and Match
BS EN 1021-1 Cigarette
BS 5852 Part 1 0,1 Cigarette & match
Maintenance Wash or dry cleaning

TEMP

Gabriel



Disponible toda la colección TEMP GABRIEL. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All TEMP GABRIEL collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition 100% polyester
Weight 504 gr/ml
Abrasion EN ISO 12947-2:1998
Resistance End point 90,000
Assesment of ignitability BS EN 1021 1&2 Cigarette and Match
CA TB 117-2013
Will also pass other flammability standards.
Flame retardant performance is dependent upon the foam used.
Contains no flame retardant chemicals.
Maintenance Wipe clean with a damp cloth

FUSION

crevin



Disponible toda la colección FUSION CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All FUSION CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition 34%WO 28%PES 23%PP 15%CO
Weight 750 gr/ml
Abrasion EN ISO 12947-2:1998
Resistance End point 200,000
Assesment of ignitability BS5852 0/1
EN 1021 1/2
BS7176 Low hazard
CAL TB117:sect 1 2013
NFPA 260:2013
Maintenance Wipe clean with a damp cloth

KRONOS TERCIOPELO VELVET

GRUPO LAMADRID




Disponible toda la colección KRONOS GRUPO LAMADRID. Online / Download
Para más información consultar con info@omelette-ed.com
All KRONOS GRUPO LAMADRID collection is available. Online / Download
For more information contact info@omelette-ed.com

Composition 92% PE, 5% Cot. and 3% Latex
Weight 470 g/lm
Abrasion Rubs martindale (EN ISO 12947-2) 100,000
Resistance
Flammability

Maintenance Wash or dry cleaning


BORA BORA

crevin



Disponible toda la colección BORA BORA CREVIN. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com

All BORA BORA CREVIN collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition	82%PP 18%PES
Weight	1050 gr/ml
Abrasion Resistance	>100.000
Assesment of ignitability	BS5852 0/1 EN 1021 1/2 BS7176 Low hazard CAL TB117:sect 1 2013 NFPA 260:2013 IMO FTP 2010 Part 8 PASS
Maintenance	Wipe clean with a damp cloth

SELECT

Gabriel



Disponible toda la colección SELECT GABRIEL. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com


All SELECT GABRIEL collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition	85% New Zealand wool / 15% polyamide
Weight	510 g/lm
Abrasion Resistance	Rubs martindale (EN ISO 12947-2) 200,000 rubs martindale (ASTM D4966-02) (heavy duty upholstery) 100,000
Flammability	BS EN 1021-1 Cigarette BS EN 1021-2 Match BS 5852 Part 1 0,1 Cigarette & match BS 5852 Crib 5 IMO MSC 307(88) Annex 1 part 8 MED Certificate IMO
Maintenance	Wash or dry cleaning

CAPTURE

Gabriel



Disponible toda la colección CAPTURE GABRIEL. [Online](#) / [Download](#)
Para más información consultar con info@omelette-ed.com

All CAPTURE GABRIEL collection is available. [Online](#) / [Download](#)
For more information contact info@omelette-ed.com



Composition	85% New Zealand wool / 15% polyamide
Weight	475 g/lm
Abrasion Resistance	Rubs martindale (EN ISO 12947-2) 200,000 Rubs martindale (ASTM D4966-02) (heavy duty upholstery) 200,000
Flammability	BS EN 1021 1&2 Cigarette and Match BS 5852 Part 1 0,1 Cigarette & match Class Uno UNI 9175 Class 1 I EMME CA TB 117-2013
Maintenance	Wash or dry cleaning

MISTY

GRUPO
LAMADRID




Disponible toda la colección MISTY GRUPO LAMADRID. [Online](#)
Para más información consultar con info@omelette-ed.com

All MISTY GRUPO LAMADRID collection is available. [Online](#)
For more information contact info@omelette-ed.com

Composition	74%CO 22%CV 4%PA
Abrasion	Approximately 40.000 Martindale rubs
Resistance	
Maintenance	Vacuuming and dry cleaning

DIVINA MELANGE

kvadrat



Disponible toda la colección DIVINA MELANGE KVADRAT. [Online](#)
Para más información consultar con info@omelette-ed.com

All DIVINA MELANGE KVADRAT collection is available. [Online](#)
For more information contact info@omelette-ed.com




Composition
Weight
Abrasion
Resistance
Flammability

100% New wool
840 g/lin.m
Approximately 45.000 Martindale rubs, EN ISO 12947
AS/NZS 1530.3, BS 5852 Crib 5, BS 5852 ignition source 3, BS 5852 part 1, BS 5867 part 2 type B, EN 1021-1/2, EN 13501, C-s1, d0, glued, NF D 60 013, NFPA 260, SN 198 898 5.3 with treatment *, UNI 9175 11M, US Cal. Bull. 117-2013, ÖNORM B1/Q1
Maintenance
Vacuuming and dry cleaning

STEELCUT TRIO

kvadrat



Disponible toda la colección STEELCUT TRIO KVADRAT. [Online](#)
Para más información consultar con info@omelette-ed.com

All STEELCUT TRIO KVADRAT collection is available. [Online](#)
For more information contact info@omelette-ed.com




Composition
Weight
Abrasion
Resistance
Flammability

90% new wool, 10% nylon
770 g/lin.m
Approximately 100.000 Martindale rubs, EN ISO 12947
AS/NZS 1530.3
AS/NZS 3837 class 2
BS 5852 Crib 5 with treatment
BS 5852 part 1
Maintenance
Vacuuming and dry cleaning


Pinturas Powder coats

ESTRUCTURAS Y PATAS STRUCTURES AND LEGS




Negro Black
RAL 9005

DOMUS STOOL




Negro Black
RAL 9005


TERRA SWIVEL



Negro Black
RAL 9005




Blanco White
RAL 9003




Pulido Polished
Aluminum

MIRRORS COLLECTION



Negro Black
RAL 9005




Blanco White
RAL 9003

Maderas Woods

MESAS, SILLAS Y TABURETES TABLES, CHAIRS & STOOLS



Roble Oak




Roble Negro
Black Oak




Roble Humo
Smoke Oak

OX MESA TABLE



Roble Oak




Roble Negro
Black Oak




Roble Humo
Smoke Oak


DOWNTOWN MESA AUX. SIDE TABLE




Roble Oak



Roble Negro
Black Oak



Roble Gris
Grey Oak



Nogal
Walnut


Las muestras son ejemplos de acabados.
Omelette Editions se reserva el derecho a
realizar los cambios técnicos, de dimensiones y
visuales cuando considere oportuno.

The samples finishes are purely indicative
and are not fully representative of the actual
material. The right is reserved to Omelette
Editions to make such technical, dimensional
and visual changes as are deemed appropriate.


Porcelánicos Porcelain

DOWNTOWN MESA AUX. SIDE TABLE


Mate Matte



Domoos Dekton
Matte finish



Kelya Dekton
Matte finish



Opera Dekton
Matte finish

Pulido Polished



Taga Dekton
Polished finish

Otros Others

MIRRORS COLLECTION



Corcho Natural
Natural Cork



Espejo
Mirror

Las muestras son ejemplos de acabados.
Omelette Editions se reserva el derecho a
realizar los cambios técnicos, de dimensiones y
visuales cuando considere oportuno.

The samples finishes are purely indicative
and are not fully representative of the actual
material. The right is reserved to Omelette
Editions to make such technical, dimensional
and visual changes as are deemed appropriate.

Guía de cuidado y Mantenimiento

Maderas

Limpie con un paño suave y húmedo o una esponja con agua tibia. El detergente diluido neutro también se puede usar con agua tibia. Deben evitarse los detergentes fuertes que contienen lejía, ácido o tienen un efecto abrasivo (como cremas abrasadoras).

Superficies laminadas

Limpie con un paño suave y húmedo o una esponja con agua tibia. El detergente diluido neutro también se puede usar con agua tibia. Deben evitarse los detergentes fuertes que contienen lejía, ácido o tienen un efecto abrasivo (como cremas abrasadoras). También se deben evitar las esponjas y los estropajos hechos de fibras sintéticas o metal que pueden dejar rasguños permanentes en las superficies. Para obtener los mejores resultados de cuidado y mantenimiento, siga las instrucciones del fabricante.

Superficies sólidas

Las superficies sólidas pueden limpiarse con un paño húmedo, luego seque con un paño suave y limpio, o una toalla de papel para evitar que se manchen.

Metales cromados, anodizados pulidos o pintados

Limpie con un paño suave y húmedo o una esponja con agua tibia. El detergente diluido neutro también se puede usar con agua tibia. Deben evitarse los detergentes fuertes que contienen lejía, ácido o tienen un efecto abrasivo (como cremas abrasadoras). También se deben evitar las esponjas y los estropajos hechos de fibras sintéticas o metal que pueden dejar rasguños permanentes en las superficies. Asegúrese de que el producto se seque con un paño limpio sin fibra después del lavado.

Tejidos

Para obtener los mejores resultados de cuidado y mantenimiento, siga las instrucciones del fabricante.

Los colores de este muestrario pueden registrar una pequeña variación respecto a la realidad.

Maintenance & Care guide

Wood

Clean with a damp, soft cloth or sponge using lukewarm water. Neutral di-luted detergent may also be used with lukewarm water. Strong detergents which contain bleach, acid or have an abrasive effect (such as scouring creams) should be avoided.

Laminate surfaces

Clean with a damp, soft cloth or sponge using lukewarm water. Neutral di-luted detergent may also be used with lukewarm water. Strong detergents which contain bleach, acid or have an abrasive effect (such as scouring creams) should be avoided. Sponges and scourers made from synthetic fibers or metal which may leave permanent scratches on the surfaces should also be avoided. For best care and maintenance results please follow manufacturer's instructions.

Solid surfaces

Solid surfaces can be cleaned by wiping the surface with a damp cloth, then dry with soft clean cloth or paper towel to prevent spotting.

Chrome, anodized, polished or powder coated metal surfaces.

Clean with a damp, soft cloth or sponge using lukewarm water. Neutral di-luted detergent may also be used with lukewarm water. Strong detergents which contain bleach, acid or have an abrasive effect (such as scouring creams) should be avoided. Sponges and scourers made from synthetic fibers or metal which may leave permanent scratches on the surfaces should also be avoided. Ensure product is dried with clean fiberfree cloth after washing.

Fabric

For best care and maintenance results please follow manufacturer's instructions.

These samples are for guide reference only.

OMELETTE

EDITIONS

Omelette Editions

C/Literato Azorín 32, bajo izq
46006 Valencia
Spain

+34 960 117 997
info@omelette-ed.com
comercial@omelette-ed.com

www.omelette-ed.com